

G-Invoicing System Interface Specifications - Push

A Guide to transmit, insert, and process IGT Buy/Sell Order data
in the New G-Invoicing Environment

Orders
Version 2.0.1
April 2019



Table of Contents

1	Introduction	3
1.1	<i>Purpose</i>	3
1.2	<i>Scope</i>	3
1.3	<i>References</i>	3
2	Assumptions/Constraints	4
2.1	<i>Assumptions</i>	4
2.2	<i>Constraints</i>	4
3	Interface Mechanism	4
3.1	<i>Physical Interface</i>	4
3.2	<i>Protocol</i>	4
3.3	<i>Supported Environments</i>	10
4	Interface Specification	11
4.1	<i>Processing Logic</i>	11
4.2	<i>Business Rules</i>	13
4.3	<i>File Naming Convention</i>	14
4.4	<i>Interface Timing</i>	14
4.5	<i>Retransmissions</i>	14
4.6	<i>Interface Data Details</i>	14
5	Error Specifications	18
6	Security	18
7	Interface Integrity	19
7.1	<i>TWAI</i>	19
7.2	<i>Communication Channel</i>	19
8	Revision History	20
	Appendix A: Constructive Receipt	Error! Bookmark not defined.
	Appendix B: Messaging Protocol & Data Encapsulation	21

1 Introduction

1.1 Purpose

This artifact defines the interface specification to define the transmission of Order data from Federal Program Agency systems to the G-Invoicing application. It serves as an agreement between G-Invoicing, agencies with interfacing systems, their software provider development teams and Bureau of the Fiscal Service business owners, upon which the system-to-system interface will be based.

1.2 Scope

This artifact defines the G-Invoicing specifications to transmit, insert, and process IGT Buy/Sell Order data and the communication channel that carries these messages. The focus is on the specifications that must be mutually agreed upon by G-Invoicing and agencies with interfacing systems. The G-Invoicing team owns the maintenance of this document.

1.3 References

The artifacts listed below support the current Production release of this specification and may be downloaded from the provided location. Artifacts that support future enhancements and releases of this specification can be made available upon request.

1.3.1 The Federal Intragovernmental Data Standards (FIDS) Orders Data Elements

https://www.fiscal.treasury.gov/fsservices/gov/acctg/g_invoice/g_invoice_home.htm

1.3.2 System Mapping and Validation Rules (SM&VR) for Orders, explains how each data element in the FIDS maps to G-Invoicing and the validation rules enforced for each change in status.

https://www.fiscal.treasury.gov/fsservices/gov/acctg/g_invoice/g_invoice_home.htm

1.3.3 XML Schema Documentation

- Order.xsd (payload)

The following schemas are used generically for Orders:

- Order_Attachment_Push.xsd
- Order_Attachment_Response.xsd
- Order_Error.xsd

<https://www.fiscal.treasury.gov/data/>

2 Assumptions/Constraints

2.1 Assumptions

1. While this artifact represents an agreement by G-Invoicing, Federal Program Agencies and their software providers, it does not imply a release schedule or project plan. Those topics are described by other artifacts for the respective projects and are not referenced here.
2. The interface is limited to the transmission of Order data and associated attachments inbound from agencies with interfacing systems to G-Invoicing.

2.2 Constraints

1. This interface will be delivered via web services, access governed by the Treasury Web Application Infrastructure (TWA), as per agreement between FRB St Louis, the Department of the Treasury Bureau of the Fiscal Service and Defense Logistics Agency (DLA) Transaction Services, and is consistent with the Bureau of the Fiscal Service's desire to move towards delivering system-to-system interfaces via web services.
 - a. Similar operating agreements may be made with other agencies, as-needed.
2. Messages will be sent over the internet utilizing the HTTPS protocol.
3. The Bureau of the Fiscal Service reference data XML Schemas will be published by the Enterprise Data Architecture group at <https://www.fiscal.treasury.gov/data/>. These schemas will be used to format the payload portion of the data transmission.

3 Interface Mechanism

3.1 Physical Interface

The G-Invoicing to agency system interface will communicate using HTTPS with 2-way TLS (Transport Layer Security) using a client certificate through the TWA. The TWA will employ a web service proxy to serve as a focal route for incoming web service requests so that the web service provider is only configured to receive requests from a single point of origination. The web service response is routed back on the same stream to the initial requestor.

3.2 Protocol

The G-Invoicing to agency system interface will employ a push/pull model utilizing RESTful Services with an XML payload. All services below are referenced via URLs in the following format. <https://host-name:port/base-path/resource-path>

Note: XML is the U.S. Treasury's standard data format.

3.2.1 Host names:

Production: ws.igt.fiscal.treasury.gov
Quality Assurance Current: qa.ws.igt.fiscal.treasury.gov
Quality Assurance Future: qaf.ws.igt.fiscal.treasury.gov
Functional Test: ft.ws.igt.fiscal.treasury.gov

3.2.2 Base Path: /ginv

3.2.3 Resource: /services

Note: G-Invoicing supports a one-to-many relationship between a Partner ID and a System ID whereby one Partner created and managed within a single disburser account can represent multiple Systems spread across many disburser accounts. In situations where the Partner is only accessing data in a single disburser account, that Partner ID can be granted full access (by agency administrators) to push data for all documents residing in that disburser account. When that Partner's data is spread across multiple disburser accounts, at least one System ID must be created and managed in each disburser account to push data. In either case, the Partner ID must be assigned a client certificate to access G-Invoicing.

3.2.3.1 Resource: New Order

Component	Detail / Description
Path	/ginv/services/v1_0/order
Method	POST
Description	Creates a new Order in the System.
Example	POST /ginv/services/v1_0/order Host: ws.igt.fiscal.treasury.gov
Parameters	<p><u>Name:</u> Accept <u>Description:</u> Indicates the service client expects content in XML format. No other format is currently supported. <u>Value:</u> application/xml <u>Required:</u> true</p>
	<p><u>Name:</u> Accept-Encoding <u>Description:</u> Allows the service client to indicate it supports compressing the response payload using gzip compression. <u>Value:</u> gzip, deflate <u>Required:</u> false (highly suggested: if not supplied, server will send back uncompressed response data resulting in a larger payload)</p>
	<p><u>Name:</u> Transfer-Encoding <u>Description:</u> The type of transformation that has been applied to the message body in order to safely transfer it between the sender and the recipient. <u>Value:</u> chunked <u>Required:</u> false</p>
	<p><u>Name:</u> Connection <u>Description:</u> Indicates the service client wants to use HTTP keep-alive to more efficiently make multiple requests. <u>Value:</u> keep-alive <u>Required:</u> false (highly suggested when making multiple calls. Failure to use keep-alives will slow concurrent calls and strain both the client and server).</p>

Component	Detail / Description
	<p><u>Name:</u> SystemID <u>Description:</u> Identifies the system that is exchanging data with G-Invoicing. <u>In:</u> header <u>Type:</u> string [100] <u>Required:</u> false (may be required for partners acting on behalf of agency systems, see Note above for details).</p>
	<p><u>Name:</u> Agency-Tracking-Identifier <u>Description:</u> Unique identifier from agency system, optionally supplied in the request. <u>In:</u> header <u>Type:</u> string [50] <u>Required:</u> false</p>
Consumes	<p><u>Required:</u> application/xml <u>Schema:</u> Order</p>
Produces	<p><u>Status Code:</u> 200 <u>Description:</u> Successful call returns Call Detail and the newly created Order data. <u>Content Type:</u> application/xml <u>Schema:</u> Call Detail, Order</p>

3.2.3.2 Resource: Update Order

Component	Detail / Description
Path	/ginv/services/v1_0/order/<id>
Method	PUT
Description	Updates an existing Order referenced by the passed unique identifier <id>.
Example	PUT /ginv/services/v1_0/order/O1610-017-021-012345 Host: ws.igt.fiscal.treasury.gov
Parameters	<p><u>Name:</u> Accept <u>Description:</u> Indicates the service client expects content in XML format. No other format is currently supported. <u>Value:</u> application/xml <u>Required:</u> true</p>
	<p><u>Name:</u> Accept-Encoding <u>Description:</u> Allows the service client to indicate it supports compressing the response payload using gzip compression. <u>Value:</u> gzip, deflate <u>Required:</u> false (highly suggested: if not supplied, server will send back uncompressed response data resulting in a larger payload)</p>
	<p><u>Name:</u> Transfer-Encoding <u>Description:</u> The type of transformation that has been applied to the message body in order to safely transfer it between the sender and the recipient. <u>Value:</u> chunked <u>Required:</u> false</p>

Component	Detail / Description
	<p><u>Name:</u> Connection <u>Description:</u> Indicates the service client wants to use HTTP keep-alive to more efficiently make multiple requests. <u>Value:</u> keep-alive <u>Required:</u> false (highly suggested when making multiple calls. Failure to use keep-alives will slow concurrent calls and strain both the client and server).</p>
	<p><u>Name:</u> id <u>Description:</u> A Unique ID referencing an individual Order. <u>In:</u> path (required) <u>Type:</u> string [20] <u>Required:</u> true</p>
	<p><u>Name:</u> SystemID <u>Description:</u> Identifies the system that is exchanging data with G-Invoicing. <u>In:</u> header <u>Type:</u> string [100] <u>Required:</u> false (may be required for partners acting on behalf of agency systems, see Note above for details).</p>
	<p><u>Name:</u> Agency-Tracking-Identifier <u>Description:</u> Unique identifier from agency system, optionally supplied in the request. <u>In:</u> header <u>Type:</u> string [50] <u>Required:</u> false</p>
Consumes	<p><u>Required:</u> application/xml <u>Schema:</u> Order</p>
Produces	<p><u>Status Code:</u> 200 <u>Description:</u> Successful call returns Call Detail and the newly updated Order data. <u>Content Type:</u> application/xml <u>Schema:</u> Call Detail, Order</p>

3.2.3.3 Resource: New Attachment

Component	Detail / Description
Path	/ginv/services/v1_0/order/attachment
Method	POST
Description	Creates a new Attachment in the System.
Example	See <i>Multipart Form-Data</i> example in Appendix A below. Host: ws.igt.fiscal.treasury.gov
Parameters	<p><u>Name:</u> Accept <u>Description:</u> Indicates the service client expects content in XML format. No other format is currently supported. <u>Value:</u> application/xml <u>Required:</u> true</p>

Component	Detail / Description
	<p><u>Name:</u> Accept-Encoding <u>Description:</u> Allows the service client to indicate it supports compressing the response payload using gzip compression. <u>Value:</u> gzip, deflate <u>Required:</u> false (highly suggested: if not supplied, server will send back uncompressed response data resulting in a larger payload)</p> <p><u>Name:</u> Transfer-Encoding <u>Description:</u> The type of transformation that has been applied to the message body in order to safely transfer it between the sender and the recipient. <u>Value:</u> chunked <u>Required:</u> false</p> <p><u>Name:</u> Content-Type <u>Description:</u> The MIME type of the body of the request <u>Value:</u> multipart/form-data; boundary= <u>Required:</u> true <u>References:</u> RFC 7578</p> <p><u>Name:</u> Connection <u>Description:</u> Indicates the service client wants to use HTTP keep-alive to more efficiently make multiple requests. <u>Value:</u> keep-alive <u>Required:</u> false (highly suggested when making multiple calls. Failure to use keep-alives will slow concurrent calls and strain both the client and server).</p> <p><u>Name:</u> SystemID <u>Description:</u> Identifies the system that is exchanging data with G-Invoicing. <u>In:</u> header <u>Type:</u> string [100] <u>Required:</u> false (may be required for partners acting on behalf of agency systems, see Note above for details).</p> <p><u>Name:</u> Agency-Tracking-Identifier <u>Description:</u> Unique identifier from agency system, optionally supplied in the request. <u>In:</u> header <u>Type:</u> string [50] <u>Required:</u> false</p>
Consumes	<p><u>Required:</u> application/xml <u>Optional:</u> application/octet-stream <u>Schema:</u> Order Attachment Push</p>
Produces	<p><u>Status Code:</u> 200 <u>Description:</u> Successful call returns Call Detail and the Attachment Response data. <u>Content Type:</u> application/xml <u>Schema:</u> Call Detail, Order Attachment Response</p>

3.2.3.4 Resource: Delete Attachment

Component	Detail / Description
Path	/ginv/services/v1_0/order/attachment/<id>
Method	DELETE
Description	Deletes an Attachment from the System.
Example	DELETE /ginv/services/v1_0/order/attachment/1234567890 Host: ws.igt.fiscal.treasury.gov
Parameters	<p><u>Name:</u> Accept <u>Description:</u> Indicates the service client expects content in XML format. No other format is currently supported. <u>Value:</u> application/xml <u>Required:</u> true</p>
	<p><u>Name:</u> Accept-Encoding <u>Description:</u> Allows the service client to indicate it supports compressing the response payload using gzip compression. <u>Value:</u> gzip, deflate <u>Required:</u> false (highly suggested: if not supplied, server will send back uncompressed response data resulting in a larger payload)</p>
	<p><u>Name:</u> Transfer-Encoding <u>Description:</u> The type of transformation that has been applied to the message body in order to safely transfer it between the sender and the recipient. <u>Value:</u> chunked <u>Required:</u> false</p>
	<p><u>Name:</u> Connection <u>Description:</u> Indicates the service client wants to use HTTP keep-alive to more efficiently make multiple requests. <u>Value:</u> keep-alive <u>Required:</u> false (highly suggested when making multiple calls. Failure to use keep-alives will slow concurrent calls and strain both the client and server).</p>
	<p><u>Name:</u> id <u>Description:</u> A Unique ID referencing an individual Attachment. <u>In:</u> path (required) <u>Type:</u> string [30] <u>Required:</u> true</p>
	<p><u>Name:</u> SystemID <u>Description:</u> Identifies the system that is exchanging data with G-Invoicing. <u>In:</u> header <u>Type:</u> string [100] <u>Required:</u> false (may be required for partners acting on behalf of agency systems, see Note above for details).</p>

Component	Detail / Description
	<u>Name:</u> Agency-Tracking-Identifier <u>Description:</u> Unique identifier from agency system, optionally supplied in the request. <u>In:</u> header <u>Type:</u> string [50] <u>Required:</u> false
Consumes	
Produces	<u>Status Code:</u> 200 <u>Description:</u> Successful call returns Call Detail data. <u>Content Type:</u> application/xml <u>Schema:</u> Call Detail

3.3 Supported Environments

The G-Invoicing application operates within the Treasury Web Application Infrastructure (TWA) environments. Interface testing will take place in G-Invoicing’s Functional Test and Quality Assurance environments. G-Invoicing operates both Production and Contingency environments.

Fail-over by G-Invoicing from Production to Contingency environments will be transparent.

Table 1: Supported Environments

G-Invoicing TWA	Use
Functional Test (FT)	Future view of Production (new release) – will be used on a limited basis for interface testing.
Quality Assurance - Current (QAC)	Current view of Production environment – used for agency testing.
Quality Assurance - Future (QAF)	Future view of Production (new release) – used for UAT.
Production	Production

4 Interface Specification

4.1 Processing Logic

4.1.1 Orders


The G-Invoicing workflow determines which actions may be executed on an Order based on its current status (state). Diagram 2 (below) shows the various states that an Order may be reported through the API (i.e., states where arrow heads terminate, specifically ‘Shared with Servicing Agency’, ‘Open’, ‘Rejected’ and ‘Closed’).

Also shown are states available through the User Interface but not the API (i.e., ‘Draft’, ‘Pending Requesting Agency Approval’ and ‘Pending Servicing Agency Approval’).

Two swim lanes are shown, presenting the Requesting Agency and the Servicing Agency.

G-Invoicing will reject any service request which does not conform to the Order States diagram.

Diagram 2: Order States



Note: The G-Invoicing processing states are represented by vertical lines just to the right of the name of each state. Although there are seven possible states for an Order, only the four shown above are supported by the API. (Unsupported states are Draft, Pending Requesting Agency Approval and Pending Servicing Agency Approval).

Table 2: Order Processing (below) summarizes the different types of requests G-Invoicing will accept as an Order moves through its lifecycle. The Requesting and Servicing Agencies actions are limited by the old state, new state, and the permissions of the System User. Rows noted by an asterisk (*) are applicable when one system is authorized to act on behalf of both the Requesting and Servicing Agencies.

Table 2: Order Processing

Requested By	Type of Request	Method	Current State	New State	Data Validation Rules
Requesting Agency	New Order	POST	N/A	Shared with Servicing Agency	<ul style="list-style-type: none"> All required Buyer data in request (see SM&VR) All Seller data in request will be ignored
Servicing Agency	Approved Order	PUT	Shared with Servicing Agency	Open	<ul style="list-style-type: none"> All required Seller data in request (see SM&VR) All Buyer data in request will be ignored
Servicing Agency	Rejected Order	PUT	Shared with Servicing Agency	Rejected	<ul style="list-style-type: none"> Required data for rejection in request (see SM&VR) All other Seller data in request will be ignored Buyer data not in request
Requesting Agency	Modified Order	PUT	Open, Rejected or Closed	Shared with Servicing Agency	<ul style="list-style-type: none"> All required Buyer data in request (see SM&VR) Changes detected to buyer data elements (xml) All Seller data in request will be ignored
Requesting Agency	Closed Order	PUT	Open	Closed	<ul style="list-style-type: none"> Required data for closure in request (see SM&VR) All other Buyer data in request will be ignored All Seller data in request will be ignored
Requesting Agency	Requesting Admin Changes	PUT	Open	Open	<ul style="list-style-type: none"> All required Buyer data in request (see SM&VR) Administrative changes detected to buyer data (xml) Only data elements marked for 'Requesting' and 'Admin Change' in FIDS may be altered
Servicing Agency	Servicing Admin Changes	PUT	Open	Open	<ul style="list-style-type: none"> All required Seller data in request (see SM&VR) Administrative changes detected to seller data (xml) Only data elements marked for 'Servicing' and 'Admin Change' in FIDS may be altered

Note: Specific data element and state validations may be found in the System Mapping and Data Validation Rules (SM&VR) document referenced in section 1.3.

The last two rows in Table 2 allow agencies to make *Administrative Changes* to Orders involving data elements that do not require review and approval from either partner. These changes are audited, and will be included in subsequent Pull requests for changes.

4.2 Business Rules

4.2.1 Common Rules

- 4.2.1.1 The agency system must be granted permissions (aka, user role) to transmit the type of data being submitted for processing.
- 4.2.1.2 The Servicing Agencies are not allowed to change the data elements belonging to the Requesting Agency and vice-versa. Submission of partner's data is ignored.
- 4.2.1.3 All requests must comply with the appropriate XML schema. (See 1.3 References).
- 4.2.1.4 Attachments may be added to, and deleted from, existing Order records using the Attachment service.
- 4.2.1.5 For add Attachment requests, the attachment FileName in the XML payload must exactly match the filename in the Content-Disposition parameter within the [multipart form-data](#).

4.2.2 Order Rules

- 4.2.2.1 The agency system must be provisioned for a Data Access Group containing the ALC(s) and other organizational filters for which the data is being processed.
- 4.2.2.2 Every change made to an Order will force a new BusinessTransactionIdentifier to be assigned to that record. The BusinessTransactionIdentifier is returned for all Pull and Push Order requests.
- 4.2.2.3 When calling the Update Order resource, agency systems must return the BusinessTransactionIdentifier in the XML payload, thus ensuring they are updating the most recent version of the Order record.
- 4.2.2.4 An out of sequence or invalid BusinessTransactionIdentifier will result in error code 400 – “The transaction ID for this order does not match the latest version. Please request the latest version before updating”.
- 4.2.2.5 Order requests may only be submitted with a DocumentStatusCode of SSA-Shared with Servicing Agency, REC-Open, REJ-Rejected, or CLZ-Closed. Requests submitted with a DocumentStatusCode other than those listed here will be rejected.
- 4.2.2.6 For close Order requests:
 - 4.2.2.6.1 The Requesting Agency must send only those data identified as required in the SM&VR document. All other data will be ignored. (G-Invoicing business rules prevent the modification and closure of an Order simultaneously).
- 4.2.2.7 For rejected Order requests, the Servicing Agency must send only those data identified as required in the SM&VR document. All other data will be ignored. (Business rules prevent the modification and rejection of an Order simultaneously).
- 4.2.2.8 There are required elements that overlap (section C in Diagram 3). Those elements may be sent by both the Requesting and Servicing Agencies and they will be validated by the System (e.g., LineNumber, ScheduleNumber, OrderNumber). In

cases where changes to data elements violate validation rules, the request will be rejected. (See SM&VR document for details).

- 4.2.2.9 Agency Systems are limited to the state changes described in Table 2 (Order Processing). Requests outside of those described in Table 2 will be rejected.
- 4.2.2.10 The Requesting Agency may logically delete Order Line items and Schedules by using the appropriate codes (e.g., A-Active, C-Cancelled) for OrderLineStatusCode and OrderScheduleStatusCode.
 - 4.2.2.10.1 All lines and schedules must be pushed for an Order, even those that have been logically deleted. (See SM&VR for line and schedule requirements).
 - 4.2.2.10.2 Physical deletion of lines or schedules is not permitted. Requests submitted with missing lines or schedules will be rejected.
 - 4.2.2.10.3 Missing lines or schedules will result in error code 400 – “The lines and schedules provided for this order do not match existing data. Please send all lines and schedules for this order.”

4.3 File Naming Convention

N/A – The only files involved in this interface are the optional attachments which are streamed in the request to G-Invoicing and described by data elements (e.g., file name) in the XML of the request. There is no naming convention for attachments.

4.4 Interface Timing

The web services are generally available 24 hours per day, 7 days per week. G-Invoicing may have scheduled outages for maintenance as noted below.

- Monday – Saturday 3:45 AM - 4:15 AM EST
- Sunday 11:00 AM - 11:30 AM EST

Agency systems are in full control of the frequency and the timing of this interface.

4.5 Retransmissions

N/A – Retransmissions are not needed because the G-Invoicing web services provide for synchronous operation in that the agencies with interfacing systems will be waiting for the response from G-Invoicing before continuing.

Should the web service connection somehow fail in the middle of a series of client requests to G-Invoicing (e.g., multiple Order requests, multiple attachment requests) the client (i.e., interfacing agency system) is responsible for continuing the requests when services are restored.


4.6 Interface Data Details

The documents referenced below, along with the details contained in this interface specification, show the required data for the request type and state of an Order transaction via these web services. For additional documentation, refer to the XML schemas published on the Fiscal Service Data Registry.

Diagram 3 (below) depicts how an Order requires data from both trading partners, and some of that Order data may be provided by either partner (section C). The “Provided By” column of the System Mapping and Validation Rules (SM&VR) document (referenced in section 1.3 above) indicates which partner contributes each data element. Table 2 (above) and the SM&VR can be used together to determine the required data elements for type of request and state of a transaction. The SM&VR also contains the business rules for each type of request and state at the data element level.

The Order FIDS (also referenced in section 1.3 above) is the source for all data element specifications (e.g., data type, size, etc.) for this interface and is the system agnostic standard for all IGT Buy/Sell data. The FIDS does contain data elements that can be derived from other data (i.e., calculated values). Generally, these derived data elements do not appear in the XML schema.

Diagram 3: Data Exchange Participants



4.6.1 Business – Data Elements

The business data for Orders may be accessed from the Bureau of the Fiscal Service [G-Invoicing website](#) then clicking the Data Elements – Orders link.

Table 3: Attachment Push Data Elements

Familiar Name	XML Tag	Definition	Constraints	Optionality
Attachment File Name	<FileName >	The actual name of the attachment file.	String [1, 132] Maximum length = 132 String UTF-8	Required
Attachment File Alias	<FileName Alias>	Descriptive name for an attachment. Different from the name assigned to the file itself.	String [0,132] Maximum length = 132 String UTF-8	Optional
Document Number	<Document Number>	Unique identifier for a document to which the attachment will be associated.	String [1, 20] Maximum length = 20 String UTF-8	Required

Familiar Name	XML Tag	Definition	Constraints	Optionality
Buy Sell Indicator	<BuySellIndicator>	Indicates whether the submitter of the attachment is the buyer (Requesting) or seller (Servicing).	String [1,1] Maximum length = 1 String UTF-8 Values: "R" – Requesting, "S" – Servicing Note: User must have update privileges based on the submitted Buy Sell Indicator, otherwise request will be rejected.	Required

Note: The attachment service and supporting schema is generic, but the path name differentiates the type of document targeted for the attachment.

4.6.2 Response – Data Elements

The data elements in Table 4 below will be returned in the body of every response generated by G-Invoicing.

Table 4: Call Detail Response Data Elements

Familiar Name	XML Tag	Definition	Constraints	Optionality
Agency Partner ID	<PartnerID>	Identifies the intended recipient of the transmission.	String [100] Minimum length = 0 Maximum length = 100 String UTF-8	Required
Agency System ID	<SystemID>	Identifies the system that is exchanging data with G-Invoicing.	String [100] Minimum length = 0 Maximum length = 100 String UTF-8	Optional
Agency Tracking Identifier	<RequestID>	Unique identifier optionally supplied in the request and echoed back in the response.	String [50] Minimum length = 0 Maximum length = 50 String UTF-8	Optional
G-Invoicing Tracking Identifier	<GINVTrackingID>	Unique tracking identifier, generated by G-Invoicing.	String [50] Minimum length = 0 Maximum length = 50 String UTF-8	Required
Environment	<Environment>	Describes the environment in which the system interface resides.	String [30] Minimum length = 0 Maximum length = 30 String UTF-8	Required
Request Type	<RequestType>	Type of request that was submitted to G-Invoicing by the agency system.	String [30] Minimum length = 0 Maximum length = 30 String UTF-8 Values: New Order, Update Order, New Attachment, Delete Attachment. Note: Values are derived from the service that is being accessed.	Required

Familiar Name	XML Tag	Definition	Constraints	Optionality
Record Count	<RecordCount>	The total number of records in the payload.	Integer	Required

Table 5: Attachment Response Data Elements

Familiar Name	XML Tag	Definition	Constraints	Optionality
Attachment File Name	<FileName>	The actual name of the attachment file.	String [1, 132] Maximum length = 132 String UTF-8	Required
Attachment File Alias	<FileNameAlias>	Descriptive name for an attachment. Different from the name assigned to the file itself.	String [0,132] Maximum length = 132 String UTF-8	Optional
Attachment ID	<AttachmentID>	Unique identifier for an attachment.	Integer Maximum length = 30	Required
Attachment Updated By	<FullName>	The user name or partner (Buyer or Seller) that uploaded the attachment	String [0,100] Maximum length = 100 String UTF-8	Required
Attachment Date Time	<UploadDateTime>	The time and date the file was uploaded into G-Invoicing.	DateTime Format: YYYY-MM-DDThh:mm:ss.SSS+ -00:00 All time should be specified in local time zone with time zone offset from UTC in hours and minutes ahead (+) or behind (-) UTC.	Required
File Size	<FileSize>	The size of the attachment expressed in kilobytes (kB).	Integer Minimum length = 1 Maximum length = 8	Required
Document URL	<URL>	The URL that will be used in a subsequent request by the agency system to retrieve the document.	String [0, 4000] Maximum length = 4000 String UTF-8	Required

5 Error Specifications

Standard web service faults are generated for exceptions that can cause the request to not be processed. If the agency system cannot be authenticated or authorized, then a fault is returned. If the requested resource is unavailable then a fault will be thrown. All services may return the following HTTP status codes along with variable error message text describing the error(s) in the response.

Error ID	HTTP Status Code	Example
1	400 – Bad Request ValidationFailedException <i>Note: Message text included in the <ErrorDesc> element will vary depending on the error condition.</i>	<pre><ns0:ErrorDetail> <ns0:ErrorDesc>ValidationFailedException message = Requesting agency Point Of Contact Full Name is required.</ns0:ErrorDesc> <ns0:ErrorTitle>400 ValidationFailedException</ns0:ErrorTitle> <ns0:RequestDateTime>2018-05-24T15:43:27.578-04:00</ns0:RequestDateTime> <ns0:RequestTypeIdentifier>Order Create</ns0:RequestTypeIdentifier> <ns0:Status>400</ns0:Status> </ns0:ErrorDetail></pre>
2	403 – Unauthorized AccessDeniedException <i>Note: Message text included in the <ErrorDesc> element will vary depending on the error condition.</i>	<pre><ns0:ErrorDetail> <ns0:ErrorDesc>AccessDeniedException message = User is not authorized to the system.</ns0:ErrorDesc> <ns0:ErrorTitle>403 AccessDeniedException</ns0:ErrorTitle> <ns0:RequestDateTime>2018-05-23T08:33:04.426-04:00</ns0:RequestDateTime> <ns0:RequestTypeIdentifier>Order Create</ns0:RequestTypeIdentifier> <ns0:Status>403</ns0:Status> </ns0:ErrorDetail> </Ginv_Error></pre>
3	500 – Internal Server Error ServerException <i>Note: Message text included in the <ErrorDesc> element will vary depending on the error condition.</i>	<pre><ns0:ErrorDetail> <ns0:ErrorDesc>ServerException message = Multiple users found.</ns0:ErrorDesc> <ns0:ErrorTitle>500 ServerException</ns0:ErrorTitle> <ns0:RequestDateTime>2018-05-23T08:29:07.566-04:00</ns0:RequestDateTime> <ns0:RequestTypeIdentifier>Order Create</ns0:RequestTypeIdentifier> <ns0:Status>500</ns0:Status> </ns0:ErrorDetail></pre>

6 Security

The TWAI will accept web service traffic, perform certificate-based authentication against security policies, and route the requests to G-Invoicing. Separate certificates are needed for test and production environments.

No Personal Identifying Information (PII) is being transported by this system interface. There is no risk that this interface will allow additional access to G-Invoicing data.

The Department of Defense has rated information contained in G-Invoicing as Mission Assurance Category III. The MAC III rating is for systems handling information that is necessary to conduct day-to-day business, but does not materially affect support to deployed or contingency forces in the short-term. The consequences of loss of integrity or availability can be tolerated or overcome without significant impacts on mission effectiveness or operational readiness. The consequences could include the delay or degradation of services or commodities enabling routine activities. Mission Assurance Category III systems require protective measures, techniques or procedures generally commensurate with commercial best practices.

7 Interface Integrity

7.1 TWAI

TWAI security infrastructure, policies and procedures guarantee that only authenticated and authorized entities are permitted access to the G-Invoicing application and its assets. Virus detection, intrusion detection, and network and infrastructure monitoring software and hardware are provided by and operated in the TWAI (see TWAI Security Architecture document).

7.2 Communication Channel

Adhere to the Guidelines for protecting sensitive data during electronic dissemination across networks as stated in the NIST Special Publication (SP) 800-52 (rev 1), Selection, Configuration, and Use of Transport Layer Security (TLS) Implementations.

Meet security requirements for NIST Special Publication (SP) 800-53 (rev 4), Recommended Security Controls for Federal Information Systems, and other applicable guidance, such as Treasury Directive Publication (TDP) 85-01.

8 Revision History

Vers. Num.	Date of Change	G-Inv Rel.	Change/Revision Description	Page/Section Affected
0.1	04/26/2017	2.2	Initial Draft	All
0.2	06/01/2017	2.2	Additional document updates	All
0.3	06/09/2017	2.2	Added attachments to Order schema	3.2.3, 4.6.2, Appendix A
0.4	06/23/2017	2.2	Updates after peer review.	All
0.5	06/29/2017	2.2	Updates after internal review.	All
1.0	07/06/2017	2.2	Baselined for Fiscal Service approval.	All
1.1	07/11/2017	2.2	Added Data Act elements (PIID, PAID).	4.6.2, 2.1
1.2	07/17/2017	2.2	Incr. System & Partner ID to 100 chars	3.2.3, 4.6.1
1.3	07/21/2017	2.2	Added references to FIDS and SM&VR	1.3.2, 4.6
1.4	07/27/2017	2.2	Updated external references	1.3, Table 2
1.5	08/02/2017	2.2	Updated processing logic, business rules, XML schema information.	4.1, 4.2, Appendix A
1.6	08/08/2017	2.2	Removed Order data table.	4.6.1
1.7	08/21/2017	2.2	Updates after peer review.	All
1.8	12/18/2017	2.2	Updated schema and XML information	Appendix A
1.9	01/19/2018	2.2	Updates based on data standards.	All
1.10	02/01/2018	2.2	Updated schema and XML information	Appendix A
1.11	04/03/2018	2.2	Updates after internal review.	3, 4.2
1.12	04/10/2018	2.2	Updates after peer review.	4
1.13	04/10/2018	2.2	Final wording and drop yellow highlights	4
1.14	04/13/2018	2.2	Updated date/time format Added new Order state	4.1, 4.2.4, 5, Tbl 2, 5, Dgm 1
1.15	05/21/2018	2.2	1787 move Org Ref data to Header	Appendix A
1.16	5/30/2018	2.2	Updated HTTP error status codes	5
1.17	6/6/2018	2.2	Updated Multipart Form-Data, Updated Resource information	Appendix A 3.2.3
2.0	6/8/2018	2.2	Baseline	All
2.0.1	6/27/2018	2.2	Updated Header	Appendix A


Appendix A: Messaging Protocol & Data Encapsulation

1 G-Invoicing Message Encapsulation

Transmissions into and out of G-Invoicing will utilize RESTful web-services over the internet with an XML payload. The HTTP Request and Response will have the structure depicted in diagrams in 1.1 and 1.2 below.


The HTTP Request will have an empty Body when the Header contains a “GET” command. When the Request contains a “POST” or “PUT” command the Body will contain an XML payload.

1.1 HTTP Request




1.2 HTTP Response

Call Detail data will be returned in every response generated by G-Invoicing. Call Detail contains metadata about the Request/Response. The Call Detail data will be part of the HTTP Body and precede any data included in the response that satisfies the initial request.



2 Error




Error Sample XML

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XMLSpy v2017 sp2 (x64)
(http://www.altova.com)-->
<cmn:ErrorDetail xmlns:cmn="urn:us:gov:treasury"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:us:gov:treasury:ginv:error Error.xsd">
  <cmn:ErrorDesc/>
  <cmn:ErrorTitle/>
  <cmn:RequestDateTime>2017-05-
09T17:30:00.000Z</cmn:RequestDateTime>
  <cmn:AgencyLocationCodes>a</cmn:AgencyLocationCodes>
  <cmn:RequestTypeIdentifier>a</cmn:RequestTypeIdentifier>
  <cmn:Status>a</cmn:Status>
</cmn:ErrorDetail>
```

3 Attachment

3.1 Attachment Push




Attachment Push Sample XML

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XMLSpy v2017 sp2 (x64) (http://www.altova.com)-->
<n1:GINV_Attachment xmlns:cmn="urn:us:gov:treasury"
xmlns:n1="urn:us:gov:treasury:ginv:AttachmentPush"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:us:gov:treasury:ginv:AttachmentPush Attachment_Push.xsd">
  <cmn:FileName>My File</cmn:FileName>
  <cmn:FileNameAlias/>
  <cmn:DocumentNumber>A1610-017-017-000170</cmn:DocumentNumber>
</n1:GINV_Attachment>
```

3.2 Attachment Response

Attachment Response Sample XML

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XMLSpy v2017 sp2 (x64) (http://www.altova.com)-->
<cmn:AttachmentSummary xmlns:cmn="urn:us:gov:treasury"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:us:gov:treasury:ginv:Order Order.xsd">
  <cmn:FileName/>
  <cmn:FileNameAlias/>
  <cmn:AttachmentID>20795621</cmn:AttachmentID>
  <cmn:FullName/>
  <cmn:UploadDateTime>2018-03-24T09:30:00.000-04:00</cmn:UploadDateTime>
  <cmn:FileSize>10</cmn:FileSize>
  <cmn:URL/>
</cmn:AttachmentSummary>
```



4 Multipart Form-Data

The following is an example of the multipart form-data when submitting an attachment. The method for submitting an attachment is POST and the DocumentNumber is required in the XML body of the attachment request in order to add the attachment to the appropriate document.

POST /ginv/services/v1_0/order/attachment
Host: www.igt.fiscal.treasury.gov

```
Accept: application/xml
Accept-Encoding: gzip,deflate
Transfer-Encoding: chunked
Content-Type: multipart/form-data; boundary=wyh0b_2-92vSvGKh-nHe7HA3qylggPjPG
Connection: Keep-Alive

--wyh0b_2-92vSvGKh-nHe7HA3qylggPjPG
Content-Disposition: form-data; name="attachment-meta-data"
Content-Type: application/xml
Content-Transfer-Encoding: binary
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XMLSpy v2017 sp2 (x64) (http://www.altova.com)-->
<n1:GINV_Attachment xmlns:cmn="urn:us:gov:treasury"
xmlns:n1="urn:us:gov:treasury:ginv:OrderAttachmentPush"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:us:gov:treasury:ginv:OrderAttachmentPush Order_Attachment_Push.xsd">
  <cmn:FileName>testfile1</cmn:FileName>
  <cmn:FileNameAlias>my first test file</cmn:FileNameAlias>
  <cmn:DocumentNumber>01702-3060-3060-0032</cmn:DocumentNumber>
  <n1:BuySellIndicator>R</n1:BuySellIndicator>
</n1:GINV_Attachment>
--wyh0b_2-92vSvGKh-nHe7HA3qylggPjPG
Content-Disposition: form-data; name="attachment-file"; filename="testfile1.txt"
Content-Type: application/octet-stream
Content-Transfer-Encoding: binary
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquet condimentum eleifend. Fusce nec efficitur magna. Duis odio nulla, scelerisque eget efficitur vitae, volutpat nec ex. Aliquam nisl quam, faucibus et tempus nec, accumsan at nibh. Quisque ultrices lacus quis consectetur faucibus. Duis velit dui, venenatis eget nisl ac, volutpat suscipit massa. Nullam cursus lacus quis quam hendrerit, a tristique lorem tristique. Vestibulum malesuada viverra augue at convallis. Curabitur nunc enim, aliquam sit amet fringilla ac, molestie quis nisi. Phasellus maximus vehicula convallis. Nullam fringilla quam placerat magna pulvinar, non ullamcorper tortor dapibus. Nam euismod auctor odio, at rhoncus elit hendrerit eleifend. Fusce aliquam leo non hendrerit ullamcorper. Cras convallis mollis felis, sagittis commodo nulla dictum ut.